CURRICULUM VITAE

NAME: FRANK PROSPER JOZEF LUYTEN

PLACE OF BIRTH: Oostende, Belgium

HOME ADDRESS: Baron A. D'Huartlaan 193, 1950 Kraainem, Belgium

WORK ADDRESS: Division of Rheumatology
UZ Leuven, Herestraat 49, 3000 Leuven
Phone: 016-342541 FAX: 016-342543
e-mail: frank.luyten@uz.kuleuven.ac.be

CITIZENSHIP: Belgium

LANGUAGES: Dutch, French, English, German

MARITAL STATUS: Married to Catheline de Jonge, 3 children

POSITIONS:

1997-present Professor, Faculty of Medicine, KULeuven and Chairman of the Division of Rheumatology and of the Department of Musculoskeletal Sciences, University Hospitals, Herestraat 49, B-3000 Leuven, Belgium

1993-1997 Senior Scientist
Chief, Developmental Biology Unit
Craniofacial and Skeletal Diseases Branch, National Institute of Dental Research, National Institutes of Health , Bethesda, MD, USA

1988-1992 Visiting Associate, Bone Cell Biology Section, Laboratory of Cellular Development and Oncology, National Institute of Dental Research, National Institutes of Health, Bethesda, MD, USA

1986-1988 International Fogarty Fellow, Bone Cell Biology Section, Bone Research Branch, National Institute of Dental Research, National Institutes of Health, Bethesda, MD, USA

1983-1986 Resident and Staff Member, Department of Rheumatology, University Hospital Ghent, Belgium, Europe

1980-1983 Resident, Department of Internal Medicine, University Hospital Ghent, Belgium, Europe

GCP/OHC statement:
By signing this CV, I state that I am fully aware of GCP and ICH guidelines for clinical trials, and that I am trained with regarding to these guidelines during several investigator meetings and initiation visits. Last training: June 2004.

EDUCATION and DEGREES:

- Bachelor of Medicine: July, 1976, cum laude.
  University of Ghent, Belgium

- Medical Doctor (M.D.): July, 1980, magna cum laude.
  University of Ghent, Belgium

- Doctor in Bio-Medical Sciences (Ph.D.):
  June, 1986, maxima cum laude.
  University of Ghent, Belgium

- Board Certified Rheumatologist (Belgium, W-Europe)
  July, 1986

SCIENTIFIC HONORS/AWARDS/FELLOWSHIPS:

- Ciba Award for Research in Rheumatology, 1984.
  for the work entitled "Chondrocytes in situ: a long-term organ culture model to study the repair of human articular cartilage", F.P.Luyten

- NATO Research Fellowship, 1986-1987.

- International Fogarty Research Fellowship, 1986-1987.

- NIH Fogarty Fellowships as Visiting Associate and Visiting Scientist, 1988-1997.

- Expert Member of the Scientific Advisory Board, Kennedy Institute for Rheumatology, UK, 1996.

- Member of the Study Section Oral Biology/Medicine, NIH, USA, 1996-1997.

- Expert reviewer for the Human Science Frontier Program, 1996-1997.

- Expert-Reviewer INSERM 2002-

- Scientific Advisor- Instituts de Biotherapie-, Montpellier, France

PATENT APPLICATIONS:

PCT/US94/12814
Cartilage-derived Morphogenetic Proteins, novel members of the TGF-ß superfamily"
Principal inventor: F. P. Luyten
US Application 10/379,830

PCT/US97/18362 – 10/014,055
Isolation and use of tissue growth inducing FRZB protein
Principal inventor: F. P. Luyten
Publication N° US-2003-0139591

US patent 09/851,921 – US Patent N° 6,617,161
Serum-free cell growth medium
Principal Inventor: F. P. Luyten

WO2004012503
Compositions comprising muscle progenitor cells and uses thereof.
Inventor(s): DE BARI, Cosimo; LUYTEN, Frank; DELL'ACCIO, Francesco
Filed 30/07/2003
Published 12/02/2004
Applicant Tigenix

WO2003000724
Polynucleotide sequences and vectors useful for the prevention or treatment of bone- or cartilage-related disorders
Inventor(s): LUYTEN, Frank; DE BARI, Cosimo; DELL'ACCIO, Francesco
Filed 08/03/2002
Published 03/01/2003
Applicant Tigenix

GB2385052
Treatment of spondyloarthropathies
Inventor(s): Luyten, Frank; Lories, Rik
Filed 20020205
Published 20030813
Applicant K U Leuven Research & Development

WO2003066081
BMP inhibitors for the treatment of spondyloarthropathies
Inventor(s): LUYTEN, Frank; LORIES, Rik
Filed 05/02/2003
Published 14/08/2003
Applicant K U Leuven Research & Development

US20030235813
In vivo assay and molecular markers for testing the phenotypic stability of cell populations, and selecting cell populations for autologous transplantation
Inventor(s): Luyten, Frank; De Bari, Cosimo; Dell'Accio, Francesco
Filed 24/04/2003
Published 25/12/2003
Applicant Tigenix

WO0124833
In vivo assay for testing the phenotypic stability
Inventor(s): LUYTEN, Frank; DE BARI, Cosimo; DELL'ACCIO, Francesco
Filed 06/10/2000
Published 12/04/2001
Applicant Tigenix

EP1218037
In vivo assay for testing the phenotypic stability
Inventor(s): LUYTEN, Frank; DE BARI, Cosimo; DELL'ACCIO, Francesco
Filed 06/10/2000
Published 03/07/2002
Applicant Tigenix

WO0125402
Isolation of precursor cells and their use for tissue repair
Inventor(s): LUYTEN, Frank; DE BARI, Cosimo; DELL'ACCIO, Francesco
Filed 06/10/2000
Published 12/04/2001
Applicant Tigenix

EP1282690
Isolation of precursor cells and their use for tissue repair
Inventor(s):LUYTEN, Frank; DE BARI, Cosimo; DELL'ACCIO, Francesco
Filed 06/10/2000
Published 12/02/2003
Applicant Tigenix

US20030176683 A1
Cartilage-derived morphogenetic proteins
Inventor(s): Luyten, Frank, P.; Moos, Malcolm; Chang, Steven, Chao-Huan
Filed 03/03/2003
Published 18/09/2003
Applicant

US20010037017 A1
DNA molecules encoding cartilage-derived morphogenetic proteins
Inventor(s): Luyten, Frank, P.; Moos, Malcolm; Chang, Steven, Chao-Huan
Filed 13/12/2000
Issued 01/11/2001
Applicant

US20030185898 A1
Cartilage-Derived morphogenetic proteins
Inventor(s): Luyten, Frank, P.; Moos, Malcolm; Chang, Steven, Chao-Huan
Filed 1/5/2000
Published 2/10/2003
Applicant

US20010011131 A1
DNA molecules encoding cartilage-derived morphogenetic proteins
Inventor(s): Luyten, Frank, P.; Moos, Malcolm; Chang, Steven, Chao-Huan
Filed 5/12/2000
Issued 2/08/2001
Applicant

US20010039050 A1
Serum-free cell growth medium
Inventor(s): Luyten, Frank P.; Erlacher, Ludwig
Filed 9/11/2001
Issued 8/11/2001
Applicant The United States of America as represented by the Department of Health and Human Services

WO9859035 A2
Serum-free cell growth medium
Inventor(s): Luyten, Frank P.; Erlacher, Ludwig
Filed 22/06/1998
Published 30/12/1998
Applicant The United States of America as represented by the Department of Health and Human Services

US6617161 B2
Serum-free cell growth medium

Inventor(s): Luyten, Frank P.; Erlacher, Ludwig
Filed 09/05/2001
Issued 9/09/2003
Applicant The United States of America as represented by the Department of Health and Human Services

WO9816641 A1
Isolation and method of using tissue growth-inducing Frzb protein
Inventor(s): Luyten, Frank P.; Moos, Malcolm; Hoang, Bang; Wang, Shouwen
Filed 8/10/1997
Published 23/04/1998
Applicant The United States of America as represented by the Department of Health and Human Services

US20030009023 A1
Isolation and method of using tissue growth-inducing Frzb protein
Inventor(s): Luyten, Frank P.; Moos, Malcolm; Hoang, Bang; Wang, Shouwen
Filed 28/02/2002
Published 9/01/2003
Applicant The United States of America as represented by the Department of Health and Human Services

US20020147329 A1
Method of modulating tissue growth using Frzb protein
Inventor(s): Luyten, Frank P.; Moos, Malcolm; Hoang, Bang; Wang, Shouwen
Filed 19/12/2001
Published 10/10/2002

US20030139591 A1
Isolation and use of tissue growth-inducing Frzb protein
Inventor(s): Luyten, Frank P.; Moos, Malcolm; Hoang, Bang; Wang, Shouwen
Filed 07/12/2001
Published 24/07/2003

WO9614335 A1
CARTILAGE-DERIVED MORPHOGENETIC PROTEINS
Inventor(s): LUYTEN, Frank, P.; MOOS, Malcolm, Jr.; CHANG, Steven, Chao-Huan
Filed 19941107
Published 19960517
Applicant THE GOVERNMENT OF THE UNITED STATES OF AMERICA

TEACHING EXPERIENCE; DOCTORAL AND POSTDOCTORAL TRAINEES

- FAES advanced postdoctoral course in the Biochemistry of Connective Diseases, National Institutes of Health, Bethesda, MD 20892, USA ,1993.

- Seminars for summer students at the NIDR, National Institutes of Health, Bethesda, MD, USA, from 1995-1997.

- Summer Students (1-2 per year, 1992-1997).

- Promotor or Co-Promotor Doctoral Students:
  Marco Helder, Ph.D., (1992-1993)
  Bang Hoang, M.D., Howard Hughes Research Fellow, (1993-1995)
  Steven Chang, M.D. (1993-1994)
  Francesco Dell'Accio, M.D. (1997-2003)
  Cosimo De Bari, M.D. (1997-2003)

Rik Lories, M.D. (1998-2003)
Jeroen Eyckmans (2001-present)
Marechal Marina (2003-2006)
Melina Daans (2003-present)
Giovanni Matricali (2003-present)
Nijs Stefaan (2003-present)
Bellon Ellen (2005-present)

- Postdoctoral Trainees:
  Ping Chen, Ph. D. (1992-1995)
  Sharon Tomaski, M.D. (1992-1993)
  Keming Lin, M.D. (1994-1997)
  Terrig Thomas, Ph.D. (1994-1997)
  Ludwig Erlacher, M.D. (1995-1997)
  Chee Keng Ng, Ph.D. (1996-1997)
  Premyslav Tylzanowski,, Ph.D. (1997-present)
  Dirk De Valck, Ph.D. (1998-2004)
  Rik Lories, M.D., Ph.D. (2003-present)
  Astrid Bakker, Ph.D. (2004-present)

- Visiting Scholars:
  Georges Zalzal, M.D., Associate Professor and Chair of the Department of Otolarynglogy at the Children's National Medical Center, Washington D.C., USA (1992)
  Slobodan Vukicevic, M.D., Professor, Department of Anatomy and Cell Biology, Zagreb University Medical School, Zagreb, Croatia (1992-1995)

EDITORIAL BOARD MEMBER:

- Annals of the Rheumatic Diseases
- Bone
- Journal of Dental Research

BIBLIOGRAPHY:

PEER REVIEWED INTERNATIONAL ARTICLES

1. VERBRUGGEN G, LUYTEN F, SUYKENS S, VEYS EM. (+)-Catechin in articular disease? **Acta Rhumatologica Belgica**, 1980; 4: 178-81.

2. VERBRUGGEN G, VEYS EM, LUYTEN FP. Dedifferentiation of human Chondrocytes in monolayer culture. **Clin Rheumatol** 1984; 3: 97-8. — IF:1.15

3. VERBRUGGEN G, LUYTEN F, VEYS EM. Repair function in organ-cultured human cartilage. Replacement of enzymatically removed proteoglycans during long-term organ culture. **J Rheumatol** 1985; 4: 665-74. — IF:2.86 CI:22

4. LUYTEN FP, SUYKENS S, VEYS EM, VAN LERBEIRGHE J, ACKERMAN C, MIELANTS H, VERBRUGGEN G. Peripheral blood T lymphocyte subpopulations determined by monoclonal antibodies in active rheumatoid arthritis. **J Rheumatol**, 1986; 13: 864-9. — IF:2.86 CI:21

5. LUYTEN FP, VERBRUGGEN G, VEYS EM, GOFFIN E, DE PYPERE H. In vitro repair potential of articular cartilage. Proteoglycan metabolism in the different areas of the femoral condyles in human cartilage explants. **J Rheumatol** 1987; 2: 329-34. — IF:2.86 CI:5

6. LUYTEN FP, VERBRUGGEN G, VEYS EM. Reparative response of human articular cartilage in tissue culture. Comparison between a normal and an osteoarthritic knee of the same donor. **Clin Exp Rheumatol** 1987; 5: 103-10. — IF:1.50 CI:4

7. LUYTEN FP, HASCALL VC, NISSLEY SP, MORALES TI, REDDI AH. Insulin-like growth factors maintain steady state metabolism of proteoglycans in bovine articular cartilage explants. **Arch Biochem Biophys** 1988; 267: 416-25. — IF:2.66 CI:170

8. DE KEYZER F, VERBRUGGEN G, VEYS EM, LUYTEN F, SEGERS J, RABAEY M. Microgel immunoblotting of thymus and nuclear extracts by unidirectional diffusion. **Anal Biochem** 1989; 176: 350-2. — IF:2.37 CI:5

9. LUYTEN FP, CUNNINGHAM NS, MA S, MUTHUKUMARUN R, HAMMONDS RG, NEVINS WB, WOOD WI, REDDI AH. Purification and partial amino acid sequence of osteogenin, a protein initiating bone cell differentiation. **J Biol Chem** 1989; 264: 13377-80. — IF:6.36 CI:243

10. VUKICEVIC S, LUYTEN FP, REDDI AH. Stimulation of the expression of osteogenic and chondrogenic phenotypes in vitro by osteogenin. **Proc Natl Acad Sci USA** 1989; 86: 8793-7. — IF:10.45 CI:181

11. REDDI AH, MUTHUKUMARAN N, MA S, CARRINGTON JL, LUYTEN FP, PARALKAR VM, CUNNINGHAM NS. Initiation of bone development by osteogenin and promotion by growth factors. **Connect Tissue Res** 1989; 20: 303-12. — IF:1.15 CI:27

12. VUKICEVIC S, LUYTEN FP, REDDI AH. Osteogenin inhibits proliferation and stimulates differentiation in mouse osteoblast-like cells (MC3T3-E1). **Biochem Bioph Res Co** 1990; 166: 750-6. IF:2.90 CI:51

13. VUKICEVIC S, LUYTEN FP, KLEINMAN HK, REDDI AH. Differentiation of canalicular cell processes in bone cells by basement membrane matrix components: regulation by discrete domains of laminin. **Cell** 1990; 63: 437-45. IF:28.39 CI:113

14. HARRISON ET, LUYTEN FP, REDDI AH. Osteogenin promotes re-expression of cartilage phenotype by dedifferentiated chondrocytes in agarose. **Exp Cell Res** 1991; 192: 340-5. IF4.01 CI:31

15. LUYTEN FP, YU M YU, YANAGISHITA M, VUKICEVIC S, HAMMONDS RG, REDDI AH. Natural bovine osteogenin and recombinant human bone morphogenetic protein 2B are equipotent in the maintenance of the steady-state of proteoglycans in bovine articular cartilage explants. **J Biol Chem** 1992; 267: 3691-5. IF:6.36 CI:82

16. ZALZAL GM, LUYTEN FP. An in vitro model for studying growth, and effects of trauma and external agents on the cricoid at the cellular level. **Arch Otolaryngol** 1992; 118: 407-11. IF:1.41 CI:4

17. HARRISON ET Jr, LUYTEN FP, REDDI AH. Transforming growth factor-beta: its effect on phenotype reexpression by dedifferentiated chondrocytes, in the presence and absence of osteogenin. **In Vitro Cell and Dev Biology** 1992; 28: 445-8. IF:0.39 CI:10

18. VUKICEVIC S, LUYTEN FP, KLEINMAN H, CUNNINGHAM N, ROBERTS A, REDDI AH. Growth factors in reconstituted basement membrane (Matrigel) modulate the network formation by immature osteoblastic cells. **Exp Cell Res** 1992; 202: 1-8. IF:4.01 CI:226

19. CASTRONOVO V, LUYTEN FP, VAN DEN BROULE F, SOBEL ME. Identification of a 14kDa laminin binding protein (HLBP 14) in human melanoma cells that is identical to the 14 kDa galactoside binding lectin. **Arch Biochem Biophys** 1992; 297: 132-8. IF:2.66 CI:37

20. SCHAFER SJ, LUYTEN FP, YANAGISHITA M, REDDI AH. Age related modulation of proteoglycan metabolism by isoforms of PDGF in bovine articular cartilage explants. **Arch Biochem Biophys** 1993; 302: 431-8. IF:2.66 CI:13

21. CHEN P, VUKICEVIC S, SAMPATH TK, LUYTEN FP. Bovine articular chondrocytes do not undergo hypertrophy in the presence of serum and osteogenic protein-1. **Biochem Bioph Res Co** 1993; 197: 1253-9. IF:2.90 CI:36

22. LUYTEN FP, CHEN P, PARALKAR V, REDDI AH. Influence of BMP-4, TGF-ß, activin A and inhibin A on bovine articular cartilage. **Exp Cell Res** 1994; 210: 224-9. IF:4.01 CI:70

23. STOJILKOVIC S, VUKICEVIC S, LUYTEN FP. Calcium signalling in endothelin- and platelet-derived growth factor-stimulated chondrocytes. **J Bone Miner Res** 1994; 9: 705-14. IF:5.44 CI:26

24. VUKICEVIC S, HELDER M, LUYTEN FP. The developing human lung and kidney are the major sites of synthesis of Bone Morphogenetic Protein-3. **J Histochem Cytochem** 1994; 42: 869-75. | IF:2.51 CI:48

25. CHANG S, HOANG B, THOMAS JT, VUKICEVIC S, LUYTEN FP*, RYBA N, KOZAK CH A, REDDI AH, MOOS M. Cartilage-Derived Morphogenetic Proteins: new members of the TGF-ß superfamily, predominantly expressed in long bones during human embryonic development. **J Biol Chem** 1994; 269: 28227-34. * corresponding author | IF:6.36 CI:172

26. CHEN P, VUKICEVIC S, SAMPATH TK, LUYTEN FP. Osteogenic protein-1 promotes growth and maturation of chick sternal chondrocytes in serum-free cultures. **J Cell Sci** 1995; 108: 105-14. | IF:6.91 CI:48

27. HELDER M, ÖZKAYNAK E, SAMPATH TK, LUYTEN FP, LATIN V, OPPERMAN H, VUKICEVIC S. Kidney, Heart and developing Bone are the major sites of synthesis of OP-1 (BMP-7). **J Histochem Cytochem** 1995; 43: 1035-44. | IF:2.51 CI:102

28. LUYTEN FP. Cartilage-derived Morphogenetic Proteins: Key Regulators in Chondrocyte differentiation ? **Acta Orthop Scand *Suppl.*,** 1995, 66, 51-4. | IF:1.02 CI:3

29. HOANG B, MOOS M, VUKICEVIC S, LUYTEN FP.Structure and Expression Pattern of Frzb, a Novel *frizzled* Related Protein, Suggest a Role in Skeletal Morphogenesis, **J Biol Chem** 1996; 271: 26131-7. | IF:6.36 CI:79

30. BASIC N, BASIC V, BULIC K, GRGIC M, KLEINMAN HK, LUYTEN FP, VUKICEVIC S. TGF-ß from basement membrane matrigel stimulates the chondrogenic phenotype in osteoblastic cells derived from fetal rat calvaria. **J Bone Miner Res** 1996; 11: 384-91. | IF:5.44 CI:14

31. VUKICEVIC S, KOPP J, LUYTEN FP, SAMPATH TK. Induction of nephrogenic mesenchyme by osteogenic protein-1. **Proc Natl Acad Sci USA** 1996; 93: 9021-6. | IF:10.45 CI:88

32. THOMAS JT, LIN K, NANDEDKAR M, MC BRIDE W, CAMARGO M, CERVENKA J, LUYTEN FP. A Human Chondrodysplasia (Hunter-Thompson type) due to a Mutation in a Cartilage-derived TGF-ß Superfamily Member. **Nat Genet** 1996; 12: 315-7. | IF:24.70 CI:163

33. LIN K, THOMAS JT, MC BRIDE WO, LUYTEN FP. Assignment of a new TGF-ß superfamily member, human cartilage-derived morphogenetic protein-1 to chromosome 20q11.2. **Genomics** 1996; 34: 150-1. | IF:3.84 CI:9

34. FRANCIS-WEST PH, RICHARDSON MK, BELL E, CHEN P, LUYTEN FP, ADELFATTAH A, BARLOW AJ, BRICKELL PM, WOLPERT L, ARCHER CW. The effect of overexpression of BMPs and GDF-5 on the development of chick limb skeletal elements. **Ann NY Acad Sci** 1996; 785: 254-5. | IF:1.78 CI:7

35. LUYTEN FP. Cartilage-derived Morphogenetic Protein-1. **Int J Biochem & Cell Biol** 1997; 29: 1241-4. | IF: 3.58 CI: 14

36. WANG S, KRINKS M, LIN K, LUYTEN FP, MOOS M JR. Frzb, a secreted protein expressed in the Spemann Organizer, binds and counteracts Wnt-8. **Cell** 1997; 88: 757-66. | IF:28.39 CI:251

37. THOMAS JT , KILPATRICK M, LIN K, ERLACHER L, LEMBESSIS P, COSTA T, TSIPOURAS P, LUYTEN FP. Disruption of limb morphogenesis by a dominant negative mutation in cartilage- derived morphogenetic protein-1.**Nat Genet** 1997; 17: 58-64. | IF:24.70 CI:114

38. LIN K, WANG S, KITAJEWSKI J, MOOS M JR, LUYTEN FP. The cysteine-rich domain of Frzb is required and sufficient for its modulation of wnt signalling. **Proc Natl Acad Sci USA** 1997; 94: 11196-200. | IF:10.45 CI:69

39. POLINKOVSKY A, ROBIN NH, THOMAS JT, IRONS M, LYNN A, CHITAYAT D, GOODMAN F, REARDON W, KANT S, BRUNNER HG, VAN DER BURGT I, LUYTEN FP, WARMAN ML. Mutations in the morphogen CDMP-1 cause autosomal dominant Brachydactyly C. **Nat Genet** 1997; 17: 18-20. | IF:24.70 CI:94

40. LUYTEN FP. "A Scientific Basis for the Biological Regeneration of Synovial Joints." **Oral Surg Oral Med Oral Pathol**, 1997, 83, 167-9. | IF:0.97 CI:2

41. ERLACHER L, NG CK, ULRICH R, KRIEGER S, LUYTEN FP. Presence of Cartilage-derived Morphogenetic Proteins in articular Cartilage and enhancement of matrix replacement *in vitro*.**Arthritis Rheum** 1998; 41: 263-73. | IF:7.41 CI:38

42. ERLACHER L, MC CARTNEY J, PIEK E, TEN DIJKE P, YANAGISHITA M, OPPERMAN H, LUYTEN FP. Cartilage-Derived Morphogenetic Proteins and Osteogenic Protein-1 Differentially Regulate Osteogenesis. **J Bone Miner Res** 1998; 13: 383-92. | IF:5.44 CI:51

43. PEICHEL C, KOZAK CA, LUYTEN FP, VOGT T. Evaluation of mouse Sfrp3/Frzb-1 as a candidate for the *lst, Ul* and *Far* mutants on Chromosome 2. **Mamm Genome** 1998; 9: 385-7. | IF:2.66

44. HOANG BH, THOMAS JT, ABDUL-KARIM FW, CORREIA KM, CONLON RA, LUYTEN FP, BALLOCK RT. Expression pattern of two Frizzled-related genes, Frzb-1 and Sfrp-1, during mouse embryogenesis suggests a role for modulating action of Wnt family members. **Dev Dynam** 1998; 212: 364-72. | IF2.87 CI:36

45. TSUMAKI N, TANAKA K, ARIKAWA-HIRASAWA E, NAKASE T, KIMURA T, THOMAS JT, OCHI T, LUYTEN F, YAMADA Y. Morphogenesis: Promotion of Mesenchymal cell recruitment and chondrocyte differentiation. **J Cell Biol** 1999; 144: 161-73. | IF:11.60 CI:44

46. FRANCIS-WEST PH, ABDELFATTAH A, CHEN P, PARISH J, LADHER R, ALLEN S, MAC PHERSON S, LUYTEN FP, ARCHER WC. Mechanisms of GDF-5 | IF:7.15 CI:70

action during skeletal development. **Development** 1999; 126(6): 1305-15.

47. LIU Z, LUYTEN FP, LAMMENS J and DEQUEKER J. Molecular signaling in bone fractures healing and distraction osteogenesis. **Histol Histopathol**, 1999, 14, 587-95. IF:1.93 CI:23

48. LADHER RK, CHURCH VL, ALLEN S, ROBSON L, ABDELFATTAH A, BROWN NA, HATTERSLEY G, ROSEN V, LUYTEN FP, DALE L, FRANCIS-WEST PH. Cloning and Expression of the Wnt Antagonists *Sfrp-2* and *Frzb* during Chick Development. **Dev Biol** 2000; 218: 183-198. IF:5.43 CI:57

49. GRUBER R, MAYER C, SCHULZ W, GRANINGER W, PETERLIK M, WATZEK G, LUYTEN FP, ERLACHER L. Stimulatory effects of cartilage-derived morphogenetic proteins 1 and 2 on osteogenic differentiation of bone marrow stromal cells. **Cytokine**, 2000, 12 (11), 1630-8. IF1.99 CI:19

50. DEQUEKER J, LUYTEN FP. Bone mass and osteoarthritis. **Clin Exp Rheumatol**, 2000; 18 (suppl.21): S21-S26. IF:1.50 CI:4

51. DE BARI C, DELL'ACCIO F, LUYTEN FP. Human periosteum-derived cells maintain phenotypic stability and chrondrogenic potential throughout expansion regardless of donor age. **Arthritis Rheum** 2001; 44: 85-95 IF:7.41 CI: 18

52. LORIES RJU, LUYTEN FP. Osteoprotegerin and osteoprotegerin-ligand balance: a new paradigm in bone metabolism providing new therapeutic targets. **Clin Rheumatol** 2001; 20: 3-9. IF:1.12 CI:8

53. GRUBER R, MAYER C, BOBACZ K, KRAUTH MT, GRANINGER W, LUYTEN FP, ERLACHER L. Effects of cartilage-derived morphogenetic proteins and osteogenic protein-1 on osteochondrogenic differentiation of periosteum-derived cells. **Endocrinology** 2001; 142: 2087-94. IF:5.15 CI:13

54. DELL'ACCIO F, DE BARI C, LUYTEN FP. Molecular markers predictive of the capacity of expanded human articular chondrocytes to form stable cartilage in vivo. **Arthritis Rheum** 2001; 44: 1608-19. IF:7.41 CI:21

55. DE BARI C, DELL'ACCIO F, TYLZANOWSKI P, LUYTEN FP. Multipotent mesenchymal stem cells from adult human synovial membrane. **Arthritis Rheum** 2001; 44: 1928-42. IF:7.41 CI:64

56. NAKASE T, ARIGA K, YONENOBU K, TSUMAKI N, LUYTEN FP, MULAI Y, SATO I, YOSHIKAWA H. Activation and localization of cartilage-derived morphogenetic protein-1 at the site of ossification of the ligamentum flavum. **Eur Spine J** 2001; 10: 289-94. IF:1.46 CI:4

57. DE VALCK D, LUYTEN FP. Caspase inhibition supports proper gene expression in ex vivo mouse limb cultures. **Cell Death Differ** 2001; 8: 985-94. IF:8.19 CI:1

58. TYLZANOWSKI P, VERSCHUEREN K, HUYLEBROECK D, LUYTEN FP. Smad-interacting protein 1 is a repressor of liver/bone/kidney alkaline phosphatase IF:6.36 CI:10

transcription in bone morphogenetic protein-induced osteogenic differentiation of C2C12 cells. **J Biol Chem** 2001;276: 40001-7.

59. WILKIN T, DEVENDRA D, DEQUEKER J, LUYTEN FP. For and against – Bone densitometry is not a good prodictor of hip fracture. **BMJ** 2001; 323: 795-7. IF:7.04 CI:11

60. DEQUEKER J, LUYTEN FP. Bone densitometry is not a good predictor of hip fracture. **BMJ** 2001; 323: 797-9. IF:7.04 CI:2

61. LUYTEN FP, DELL'ACCIO F, DE BARI C. Skeletal tissue engineering: Opportunities and challenges. **Baillière's Best Practice and Research in Clinical Rheumatology** 2001;15:759-70. IF:0.81 CI:6

62. DEQUEKER J, WESTHOVENS R, LUYTEN FP. Rheumatic disorders and glucocorticoid-induced osteoporosis. In: Giustina A, Angeli A, Canalis E, Manelli F (eds). Glucocorticoid-Induced Osteoporosis. **Front Horm Res**, Basel, Karger, 2002;30:107-20. IF:0.48

63. VOLDERS P, VAN HOVE J, LORIES RJ, VANDEKERCKHOVE P, MATTHIJS G, DE VOS R, VANIER MT , VINCENT MF, WESTHOVENS R , LUYTEN FP. Niemann-Pick disease type B: an unusual clinical presentation with multiple vertebral fractures. **Am J Med Genet** 2002;109:42-51. IF:3.66 CI: 3

64. NAKASE T, SUGAMOTO K, MIYAMOTO T, TSUMAKI N, LUYTEN FP, INUI H, MYOUI A, TOMITA T, YOSHIKAWA H. Activation of cartilage-derived morphogenetic protein-1 in torn rotator cuff. **Clin Orthop** 2002;399:140-5. IF:1.40 CI:2

65. BOBACZ K, GRUBER R, SOLEIMAN A, GRANINGER WB, LUYTEN FP, ERLACHER L. Cartilage-derived morphogenetic protein-1 and –2 are endogenously expressed in healthy and osteoarthritis human articular chondrocytes and stimulate matrix synthesis. **Osteoarthr Cartilage** 2002;10:394-401. IF:3.57 CI:11

66. DELL'ACCIO F, VANLAUWE J, BELLEMANS J, NEYS J, DE BARI C, LUYTEN FP. Expanded phenotypically stable chondrocytes persist in the repair tissue and contribute to cartilage matrix formation and structural integration in a goat model of autologous chondrocyte implantation. **J Orthopaed Res**. 2003 Jan;21(1):123-31. IF:2.72 CI:9

67. VAN DAMME A, CHUAH MK, DELL'ACCIO F, DE BARI C, LUYTEN F, COLLEN D, VANDEN DRIESSCHE T. Bone marrow mesenchymal cells for haemophilia. A gene therapy using retroviral vectors with modified long-terminal repeats. **Haemophilia** 2003;9:94-103. IF:2.08 CI:2

68. TYLZANOWSKI P, DE VALCK D, MAES V, PEETERS J, LUYTEN FP. Zfhx1a and ZFHX1b mRNAs have non-overlapping expression domains during chick and mouse midgestation limb development. **Gene Expr Patterns** 2003;3:39-42. IF:3.26 CI:5

69. DE BARI C, DELL'ACCIO F, VANDENABEELE F, VERMEESCH JR, RAYMACKERS JM, LUYTEN FP. Skeletal muscle repair by adult human mesenchymal stem cells from synovial membrane. **J Cell Biol** 2003;160:909-18. — IF: 11.60 CI:39

70. VAN DAMME A, CHUAH MK, DELL'ACCIO F, DE BARI C, LUYTEN F, COLLEN D, VANDENDRIESSCHE T. Bone marrow mesenchymal cells for haemophilia A gene therapy using retroviral vectors with modified long-terminal repeats. **Haemophilia** 2003;9:345. — IF:2.08 CI:1

71. KUSAFUKA K, LUYTEN FP, DE BONDT R, HIRAKI Y, SHUKUNAMI C, KAYANO T, TAKEMURA T. Immunohistochemical evaluation of cartilage-derived morphogenic protein-1 and –2 in normal human salivary glands and pleomorphic adenomas. **Virchows Arch** 2003;442:482-90. — IF:2.23 CI:2

72. LORIES RJ, DERESE I, DE BARI C, LUYTEN FP. In vitro growth rate of fibroblast-like synovial cells is reduced by methotrexate treatment. **Ann Rheum Dis** 2003;62:568-71. — IF: 3.92 CI:2

73. DELL'ACCIO F, DE BARI C, LUYTEN FP. Microenvironment and phenotypic stability specify tissue formation by human articular cartilage-derived cells in vivo. **Exp Cell Res** 2003;287:16-27. — IF: 4.01 CI:6

74. VANDENABEELE F, DE BARI C, MOREELS M, LAMBRICHTS I, DELL'ACCIO F, LIPPENS PL, LUYTEN FP. Morphological and immunocytochemical characterization of cultured fibroblast-like cells derived from adult human synovial membrane. **Arch Histol Cytol** 2003;66:145-53. — IF:1.01

75. LORIES RJ, DERESE I, CEUPPENS JL, LUYTEN FP. Bone morphogenetic proteins 2 and 6, expressed in arthritic synovium, are regulated by proinflammatory cytokines and differenetially modulate fibroblast-like synoviocyte apoptosis. **Arthritis Rheum** 2003;48:2807-18. — IF: 7.41 CI:5

76. MATTHYS P, LORIES RJ, DE KLERCK B, HEREMANS H, LUYTEN FP, BILLIAU A. Dependence on interferon-gamma for the spontaneous occurrence of arthritis in DBA/1 mice. **Arthritis Rheum** 2003;48:2983-8. — IF: 7.41 CI: 1

77. DEQUEKER J, AERSSENS J, LUYTEN FP. Osteoarthritis and osteoporosis: Clinical and research evidence of inverse relationship. **Aging Clin Exp Res** 2003;15:426-39. — IF: 1.10 CI:6

78. DE BARI C, DELL'ACCIO F, LUYTEN FP. Failure of in vitro-differentiated mesenchymal stem cells from the synovial membrane to form ectopic stable cartilage in vivo. **Arthritis Rheum** 2004;50:142-50. — IF: 7.41 CI:5

79. LORIES R, MATHYS P, DE VLAM K, DERESE I, LUYTEN FP. Ankylosing enthesitis, dactylitis, and onychoperiostitis in male DBA/1 mice: a model of psoriatic arthritis. **Ann Rheum Dis** 2004;63:595-8. — IF: 3.92 CI:2

IF: 2.95

80. LUYTEN FP. Mesenchymal stem cells in osteoarthritis. **Curr Opin Rheumatol** 2004;16:599-603. IF: 2.98

81. TYLZANOWSKI P, BOSSUYT W, THOMAS JT, LUYTEN FP. Characterization of Frzb-Cre transgenic mouse. **Genesis** 2004;40:200-4. IF: 2.49

82. LORIES RJU, LUYTEN FP. Bone morphogenetic protein signaling in joint homeostasis and disease. **Cytokine Growth F R** 2005; 16(3): 287-98. IF: 9.93

83. LORIES RJU, DERESE I, LUYTEN FP. Modulation of Bone Morphogenetic Protein signalling inhibits the onset and progression of ankylosing enthesitis. **J Clin Invest** 2005;115:1571-1579. IF: 14.20

84. BOONEN S, NIJS J, BORGHS H, PEETERS H, VANDERSCHUEREN D, LUYTEN FP. Identifying postmenopausal women with osteoporosis by calcaneal ultrasound, metacarpal digital X-ray radiogrammetry and phalangeal radiographic absorptiometry: a comparative study. **Osteoporos Int 2005**; 16(1): 93-100. IF: 2.95

85. LORIES RJ, BOONEN S, PEETERS J, DE VLAM K, LUYTEN FP. Evidence for a differential association of the Arg200Trp singlenucleotide polymorphism in FRZB with hip osteoarthritis and osteoporosis. **Rheumatology (Oxford) 2006**;45:113-4. IF: 3.25

86. MARECHAL M, LUYTEN F, NIJS J, POSTNOV A, SCHEPERS E, VAN STEENBERGHE D. Histomorphometry and micro-computed tomography of bone augmentation under a titanium membrane. **Clin Oral Implan Res** 2005; 16: 708-14. IF: 1.16

87. VAN DAMME A, THORREZ L, MA L, VANDENBURGH H, EYCKMANS J, DELL'ACCIO F, DE BARI C, LUYTEN F, LILLICRAP D, COLLEN D, VANDENDRIESSCHE T, CHUAH MK. Efficient lentiviral transduction and improved engraftment of human bone marrow mesenchymal cells. **Stem Cells** 2006;24:896-907. IF: 5.5

88. DE BARI C, DELL'ACCIO F, VANLAUWE J, EYCKMANS J, KHAN IM, ARCHER CW, JONES EA, MCGONAGLE D, MITSIADIS TA, PITZALIS C, LUYTEN FP. Mesenchymal multipotency of adult human periosteal cells demonstrated by single-cell lineage analysis. **Arthritis Rheum** 2006;54:1209-21. IF: 7.41

89. LORIES RJU, DAANS M, DERESE I, MATTHYS P, KASRAN A, TYLZANOWSKI P, CEUPPENS JL, LUYTEN FP. Noggin haploinsufficiency differentially affects tissue responses in destructive and remodeling arthritis. **Arthritis Rheum** 2006;54:1736-46. IF: 7.41

90. TYLZANOWSKI P, MEBIS L, LUYTEN FP. The Noggin null mouse phenotype is strain dependent and haploinsufficiency leads to skeletal defects. **Dev Dyn** 2006,235:1599-1607. IF: 2.87

91. EYCKMANS J, LUYTEN FP. Species specificity to ectopic bone formation using periosteum-derived mesenchymal progenitor cells. **Tissue Engineering** 2006;12:2203- IF: 3.143

13.

92. DE VLAM K, LORIES RJ, LUYTEN FP. Mechanisms of pathologic new bone formation. **Curr Rheumatol Rep** 2006 8:332-7 (Review)

93. LUYTEN FP, LORIES RJ, VERSCHUEREN P, DE VLAM K, WESTHOVENS R. Contemporary concepts of inflammation, destruction and repair in chronic arthritis. **Best Practice in Research Clinical Rheumatology** 2006;20:829-48. .

IF:0.814

94. LUYTEN FP, GEUSENS P, MALAISE M, DE CLERCK L, WESTHOVENS R, RAEMAN F, VANDER MIJNSBRUGGE D, MATHY L, HAUZEUR JP, DE KEYSER F, VAN DEN BOSCH F. A prospective randomised multicentre study comparing continuous and intermittent treatment with celecoxib in patients with Osteoarthritis of the knee or hip. **Ann Rheum Dis** 2007;66:99-106.

95. MATRICALI GA, DEREYMAEKER GP, LUYTEN FP. The posteromedial rim of the talar dome as the site for harvesting cartilage in the ankle: an anatomic study. **Arthroscopy** 2006;22:1241-5.

96. LORIES RJ, DERESE I, DE BARI C, LUYTEN FP. Evidence for uncoupling of inflammation and joint remodeling in a Mouse model of spondylarthritis. **Arthritis Rheum** 2007;56:489-97.

97. TYNDALL A, WALKER UA, COPE A, DAZZI F, DE BARI C, FIBBE W, GUIDUCCI S, JONES S, JORGENSEN C, LE BLANC K, LUYTEN F, McGONAGLE D, MARTIN I, BOCELLI-TYNDALL C, PENNESI G, PISTOIA V? PITZALIS C, UCCELLI A, WULFFRAAT N, FELDMANN M. Immunomodulatory properties of mesenchymal stem cells: a review based on an interdisciplinary meeting held at the Kennedy Institute of Rheumatology Division, London, UK, 31 October 2005. **Arthritis Res Ther** 2007;9:301.

98. LORIES RJ, LUYTEN FP. Bone morphogenetic proteins in destructive and remodeling arthritis. **Arthritis Res Ther** 2007;9:207.

OTHER PUBLICATIONS

1. VERBRUGGEN G, VEYS EM, LUYTEN F, SUYKENS S. Some anti-arthrotic properties of an oversulphated glycosaminoglycan in degenerative joint diseases. In: Willoughby DA and Giroud JP (ed), **Future Trends in Inflammation**, IX, MTP Press, Lancaster, 1980, pp. 183-91.

2. LUYTEN F. [A classical case of arthritis in inflammatory bowel disease.] **Tijdschrift v Geneesk**1982; 38: 1130-3.

3. LUYTEN F, VERBRUGGEN G, VEYS EM. Synthesis of intercellular macromolecules by human articular chondrocytes after enzymatical removal of the matrix: a model for chondrocyte repair function. **FRSM-FGWO publication**, 1983, pp. 297-8.

4. VERBRUGGEN G, LUYTEN F, VEYS EM. Dedifferentiation of human chondrocytes in monolayer culture. **FRSM-FGWO publication**, 1983, pp. 294-6.

5. LUYTEN F. [Aortic valve insufficiency associated with ankylosing spondylitis.] **Tijdschrift v Geneesk** 1984; 40: 275-8.

6. LUYTEN F. [Therapy-resistant nephrotic syndrome.] **Tijdschrift v Geneesk**, 1984; 40: 861-4.

7. DE KEYZER R, LUYTEN F, LAMEIRE N. [A young man with acute renal insufficiency.] **Tijdschrift v Geneesk**, 1984; 40: 1431-8.

8. VERBRUGGEN G, LUYTEN F, VEYS EM. Dedifferentiation of human chondrocytes in monolayer culture. In: Machtey I (ed), **Progress in Rheumatology**, vol. II, Rheumatology Service, Hasharon Hospital, Petah-Tiqva, Israel, 1984, pp. 5-8.

9. VERBRUGGEN G, LUYTEN F, VEYS EM. Synthesis of intercellular macromolecules by human chondrocytes after enzymatical removal of the matrix. A model for chondrocyte repair function. In: Machtey I (ed), **Progress in Rheumatology**, vol. II, Rheumatology Service, Hasharon Hospital, Petha-Tiqva, Israel, 1984, pp. 9-11.

10. VERBRUGGEN G, LUYTEN F, VEYS EM. Renewal of intercellular matrix proteoglycans by human long-term organ cultured articular chondrocytes after partial lysis of the matrix. In: Verbruggen G, Veys EM (eds), **Degenerative Joints**, vol. 2, Excerpta Medica, Amsterdam-New York-Oxford, 1985, pp. 227-48.

11. VERBRUGGEN G, VEYS EM, LUYTEN FP. Is a decrease in proteoglycan content in degenerative cartilage exclusively caused by enzymatical degradation ? In: Verbruggen G, Veys EM (eds), **Degenerative Joints**, vol. 2, Excerpta Medica, Amsterdam-New York-Oxford, 1985, pp. 55-63.

12. VEYS E M, VERBRUGGEN G, LUYTEN F P. Subtypes of degenerative joint disease in man. How do they come to grips with the factors involved in vitro or in vivo experimental osteoarthritis ? In: Verbruggen G, Veys EM (eds), **Degenerative joints**, vol. 2, Excerpta Medica, Amsterdam-New York-Oxford, 1985, pp. 371-81.

13. VERBRUGGEN G, LUYTEN FP, VEYS EM. Metabolic consequences of mitotic activity of chondrocytes in degenerative cartilage. **Proceedings of the 1st Atlantic Congress on the future of collagen**, CTC-ERRC, Lyon, 1985, pp. 148-51.

14. VEYS EM, VERBRUGGEN G, LUYTEN FP. Proteoglycan synthesis in organ-cultured human articular cartilage. **Proceedings of the 1st Atlantic Congress on the future of collagen**, CTC-ERRC, Lyon, 1985, pp. 152-4.

15. LUYTEN FP, VERBRUGGEN G, VEYS EM. Repair of human articular cartilage in organ culture: comparison between the different area of the femoral condyles. **Proceedings of the 1st Atlantic Congress on the future of collagen**, CTC-ERRC, Lyon, 1985, pp. 345-7.

16. VERBRUGGEN G, VEYS EM, LUYTEN F. [Arthrocentesis]. In: Veys EM, Mielants H, Verbruggen G (eds), **Rheumatology**, Omega editions, Ghent, 1985, pp. 93-110.

17. MIELANTS H, D'HONDT E, LUYTEN F, VEYS EM. [Septic Arthritis]. In: Veys EM, Mielants H, Verbruggen G (eds), **Rheumatology**, Omega editions, Ghent, 1985, pp. 111-35.

18. DE LANDSHEERE D, LUYTEN F. [Rheumatic fever and viral arthritis]. In: Veys EM, Mielants H, Verbruggen G, (eds), **Rheumatology**, Omega editions, Ghent, 1985, pp. 527-37.

19. VEYS EM, MIELANTS H, VERBRUGGEN G, STAPPAERTS G, SUYKENS S, LUYTEN F, HERMAN L. Clinical Evaluation of Immunomodifiers: Levamisole to the Present. In: Otterness I (ed), **Advances in Inflammation Research**, vol.11, Raven Press, New York, 1986, pp. 301-11.

20. HASCALL VC, LUYTEN FP, PLAAS AH, SANDY JD. Steady state metabolism of proteoglycans in bovine articular cartilage explants. In: Maroudas A, Keuttner K (eds), **Methods in Cartilage Research**, Academic Press Inc., 1991, pp. 108-12.

21. LUYTEN FP, REDDI AH. Articular Cartilage Repair:Potential Role of Growth and Differentiation Factors. In: Adolphe M (ede.), **Biological Regulation of the Chondrocyte**, CRC Press, 1992, 9, 227-36.

22. LUYTEN FP, CUNNINGHAM N, VUKICEVIC S, PARALKAR V, MA S, RIPAMONTI U, REDDI AH. Role of osteogenin and related bone morphogenetic proteins in bone induction and repair. **Acta Orthopaedica Belgica *Suppl.***, 1992, 58, 263-7.

23. LUYTEN FP. Growth and Differentiation Factors/Morphogens in Joint Development and Tissue Specification. In: Archer CW, Benjamin M, Caterson B, Ralphs JR (eds) **The Biology of the Synovial Joint**, Harwood Academic Publishers, 1999, Chapter 5.

24. DELL'ACCIO F, DE BARI C, LUYTEN FP. Molecular basis of joint development. **Jpn J Rheumatol,** 1999;9 (1): 17-29.

25. VERSCHUEREN P, WESTHOVENS R, WOUTERS C, LUYTEN FP. [Rheumatoid arthritis: shifting of paradigms.] **Tijdschrift v Geneesk**, 2000; 56: 1523-32.

26. LORIES RJU, TAELMAN V, WESTHOVENS R, LUYTEN FP. [Cyclo-oxygenase-2-inhibitors: a therapeutical gain.] **Tijdschr v Geneesk** 2001;57:1147-53.

27. LUYTEN FP. [Strategies in treating osteoarthritis.] **Tijdschr v Geneesk** 2001;57:1251-6.

28. LUYTEN FP, DE BARI C, DELL'ACCIO F. Identification and characterization of human cell populations capable of forming stable hyaline cartilage in vivo. In: **The Many Faces of Osteoarthritis**, Ed. V.V. Hascall and K.E. Kuettner. Birkhäuser Verlag Basel, Switzerland 2002:67-76.

29. LUYTEN FP, LORIES R, DE VALCK D, DE BARI C, DELL'ACCIO F. Bone morphogenetic proteins and the synovial joint. In: **Bone Morphogenetic Proteins**, Ed. S Vukicevic and KT Sampath. Birkhäuser Verlag Basel, Switzerland 2002: 223-48.

30. VAN LEEUWEN ML, LENSEN F, JOOSTEN E, LUYTEN FP, WESTHOVENS R Het "remitting seronegative symmetrical synovitis with pitting edema" (RS3PE)-syndroom. **Tijdschr v Geneesk** 2003; 59: 815-20.

31. LUYTEN FP, LORIES R, DE VALCK D, DE BARI C, DELL'ACCIO F. Bone morphogenetic proteins and the synovial joints. In: **Bone Morphogenetic Proteins: Regeneration of bone and beyond**. Ed. S Vukicevic and KT Sampath. Birkhäuser Verlag Basel, Switzerland 2004:187-212. ISBN: 3-7643-7139-0

32. LUYTEN FP. Mesenchymal stem cells in arthritis. In: **Rheumatoid Arthritis**, Second Edition. Eds. Firestein, Panayi, Wollheim. Oxford University Press 2006 : Chapter 43: 551-559. ISBN: 0-19-856630-1.

33. LUYTEN FP, WESTHOVENS R, TAELMAN V; Arthritis of the Knee: Diagnosis and Management. In: **Total Knee Arthroplasty**. Eds. J. Bellemans, M.D. Ries, J. Victor. Springer 2005:Chapter I: 1-7. ISBN: 10 3-540-20242-0.